


12W LED RGB+W light source

“RF-LRGB+W/LED12”


CE

COBB
FIBRE OTTICHE



The Led light sources LED LRGB+W Series are produced to be used with glass and pmma optical fibres. These light sources allow you to control the emitted light and color rotation speed, creating spectacular effects through radio frequency control.

The light sources are supplied with an electronic device for connection to an unlimited number of led light sources which maintaining the color sync.



Dimensions

COBB FIBRE OTTICHE SRL

Via Nelson Mandela, 20 | 24048 Treviolo (BG) | Italy Tel. +39 035 0448601 - Fax +39 035 0448585
info@fibre-ottiche.com - www.fibre-ottiche.it

System components



Control functions

ON/OFF: on or off for any function

Programs: 8 programs

Speed / Brightnesses + : the speed / brightness will increase speed or brightness when you touch the key each time

Speed / Brightnesses - : the speed / brightness will decrease speed or brightness when you touch the key each time

Color ring: touch and choose any color which you want

White color button: button to turn on the white color led

Zone control button: button to control different zones with one rf remote control or to change frequency of each single rf remote control

COBB FIBRE OTTICHE SRL

Via Nelson Mandela, 20 | 24048 Treviolo (BG) | Italy Tel. +39 035 0448601 - Fax +39 035 0448585
info@fibre-ottiche.com - www.fibre-ottiche.it

Technical specifications	Description
Led color	RGB+W (red, green, blue + white)
Power	12W
Cooling	fanless cooling
Lifetime	50.000 hours
Standard connector input	30 mm
Protection rating (IP)	IP54 (IP65 on request)
Housing	delrin (POM)
Finish	black
Dimmable	yes
Power supply	230V-50/60Hz

12W LED RGB+W light source



fibre optics bundle



common end

insert the common end in the light source and block it through the screw set on the light source

