



Lateral emission fiber optic cables "FEL" allow you to decorate and highlight walls, ceilings, floors, building facades, walkways (both indoors and outdoors). They are ideal for indicating escape routes, outlining paths, and for use in swimming pools, fountains, and other applications.



"FEL-PL" SIDE-EMITTING LIGHT FIBER OPTIC CABLE

They are available in the "FEL-PL" multi-fiber composition, consisting of intertwined synthetic optical fibers (PMMA) with a diameter of 0.75mm and a transparent polyurethane sheath. They are suitable for use in both indoor and outdoor environments (algicide, fungicide, UV and chlorine resistant)."

Code	Diameter	Bend radius
FEL-PL/08	8,0mm	40mm
FEL-PL/13	12,7mm	50mm
FEL-PL/15	14,5mm	65mm



"FEL-SN" SIDE-EMITTING LIGHT FIBER OPTIC CABLE

Available in the 'FEL-SN' single-fiber composition, consisting of a single synthetic optical fiber (PMMA) extruded with a transparent over extruded sheath for use in indoor environments.

Code	Diameter	Bend radius
FEL-SN/015	1,5mm	7,5mm
FEL-SN/020	2,0mm	8,2mm
FEL-SN/030	3,0mm	12,6mm
FEL-SN/040	4,0mm	16,8mm
FEL-SN/10	10mm	45mm
FEL-SN/12	12mm	50,4mm
FEL-SN/14	14mm	59mm

MAX LENGHT

