**"DALI-LRGB/LED9" : 9W RGB LED LIGHT SOURCE WITH DALI CONTROL**

The Led light sources "LRGB-LED" Series are produced to be used with glass and pmma optical fibres.

These light sources allow you to control the emitted light and color rotation speed, creating spectacular effects through radio frequency control.

The light sources are supplied with an electronic device for connection to an unlimited number of led light sources which maintaining the color sync.

TECHNICAL FEATURES

9W RGB LED high power Fanless cooling
IP54 protection (IP65 on request) Led lifespan
50.000 hours Supply voltage: 230V-50/60Hz
DMX-DA

**COLOR CONTROL VIA DALI SIGNAL****CONTROL FUNCTIONS VIA DALI SIGNAL**

Electronic card interface for controlling and programming scenes via DALI signal

"DALI-LRGB/LED9" SYSTEM'S COMPONENTS

9W RGB LED LIGHT SOURCE




COLOR CONTROL MODULE



DALI INTERFACE



DIMENSIONS



LED LIGHT SOURCE - FIBRE OPTIC BUNDLE CONNECTION



9W RGB LED LIGHT SOURCE



COMMON END

FIBRE OPTIC BUNDLE



INSERT THE COMMON END INTO THE LED LIGHT SOURCE AND LOCK THROUGH THE SCREW SET ON THE LIGHT SOURCE