

KG/M 0,5


A

A+

A++

Profile in silver-grey, black, gold and white painted anodized aluminum, cut to measure on your needs. Excellent profile for visible installations, or for ambient lighting with the housing in perimeter veils, to direct the light upwards or towards the interior of the room, obtaining excellent light reflection without any loss, thanks to the inclination at 45° of the light. Cover in opal polycarbonate. Supplied for installation complete with closure caps, opal cover and clip. With the profile we can also supply LED strips with white light or RGB+W, with the appropriate power supplies depending on the power and type of LEDs inserted.

dimensions



finishes available


gold



silver



white



black





The profiles are supplied cut to size, maximum length 3m, ready for installation, with standard on-off or dimmable power supplies for white light.

The RGB+W strips can be supplied with control via RF remote control, wall touch panel, dmx, dali, and with the Google Assistance, Alexa and Tuya apps for smartphone control.

accessories

opal
cover
CV-RP110/01-OP



front side-closed
cap
TP-RP110/01-T1



1

installation

3



secure the rear base
of the profile to the wall
with screws

2



clip the front
of the profile

close
the profile
with the appropriate ones
caps

The profiles are supplied cut to measure, maximum length 3m, complete with diffuser + caps and fixing clips.

Upon request, the profiles are supplied with LED strips chosen from White / Dynamic White / RGB / RGB+W and light control modules managed by the following systems:

TYPE LED	RF REMOTE CONTROL / PANEL	DMX	DALI	ALEXA/GOOGLE HOME/TUYA	PUSH	1-10V 0-10V
WHITE LED	✓	✓	✓	✓	✓	✓
DYNAMIC WHITE LED	✓	✓	✓	✓		
RGB LED	✓	✓	✓	✓		
RGB+W LED	✓	✓	✓	✓		