




COBB FIBRE OTTICHE

**LIGHTING WITH
LED PROFILES**

**CATALOGUE
2026**



LIGHTING WITH LED PROFILES



ALL OUR LED PROFILES




RECTANGULAR LINEAR PROFILE "LARGE"
CODE PRE-R16/02



ANGULAR SQUARE PROFILE
CODE PRE-A14/02



RECTANGULAR FLAT PROFILE "MICRO"
CODE PRE-R09/01




RECTANGULAR FLAT PROFILE
CODE PRE-R15/01



RECTANGULAR LINEAR PROFILE
CODE PRE-R16/01



BIG PROFILE FOR TOTAL RECESSING "LARGE"
CODE PRE-RS37/01




RECTANGULAR CEILING PROFILE
CODE PRE-R26/01



PROFILE FOR TOTAL RECESSING
CODE PRE-RS16/01




ANGULAR FLAT PROFILE
CODE PRE-A12/01



ANGULAR ROUND PROFILE
CODE PRE-A14/01

Rectangular linear profile “large”

PRE-R16/02



Profile in silver-grey, black, gold and white painted anodized aluminum, cut to measure on your needs. Excellent profile for visible installations, or for room lighting with housing in perimeter veils. Cover in opal polycarbonate. Supplied for installation complete with closing caps, opal cover and clip. With the profile we can also supply LED strips with white light or RGB+W, with the appropriate power supplies depending on the power and type of LEDs inserted.


The profiles are supplied cut to size, maximum length 3m, ready for installation, with standard on-off or dimmable power supplies for white light. The RGB+W strips can be supplied with control via RF remote control, wall touch panel, dmx, dali, and with the Google Assistance, Alexa and Tuya apps for smartphone control.



Finishes available



Dimensions



Accessories



opal cover
CV-R16/02-OP




cap with hole
TP-R16/02-T1



closed cap
TP-R16/02-T2



clip
CL-R16/02




The profiles are supplied cut to size, maximum length 3m, ready for installation, with standard on-off or dimmable power supplies for white light. The RGB+W strips can be supplied with control via RF remote control, wall touch panel, dmx, dali, and with the Google Assistance, Alexa and Tuya apps for smartphone control.

TYPE LED	RF REMOTE CONTROL / PANEL	DMX	DALI	ALEXA/GOOGLE HOME/TUYA	PUSH	1-10V / 0-10V
WHITE LED	✓	✓	✓	✓	✓	✓
DYNAMIC WHITE LED						
RGB LED						
RGB+W LED						

Angular square profile model

PRE-A14/02



Profile in silver-grey, black, gold and white painted anodized aluminum, cut to measure on your needs. Excellent profile for visible installations, or for ambient lighting with the housing in perimeter veils, to direct the light upwards or towards the interior of the room, obtaining excellent light reflection without any loss, thanks to the inclination at 45° of the light. Cover in opal polycarbonate. Supplied for installation complete with closure caps, opal cover and clip. With the profile we can also supply LED strips with white light or RGB+W, with the appropriate power supplies depending on the power and type of LEDs inserted.

The profiles are supplied cut to size, maximum length 3m, ready for installation, with standard on-off or dimmable power supplies for white light. The RGB+W strips can be supplied with control via RF remote control, wall touch panel, dmx, dali, and with the Google Assistance, Alexa and Tuya apps for smartphone control.



Finishes available

Silver


Black

Gold

White



Dimensions



Accessories



opal cover
CV-A14/02-OP




cap with hole
TP-A14/02-T1



closed cap
TP-A14/02-T2



clip
CL-A14/02




The profiles are supplied cut to measure, maximum length 3m, complete with diffuser + caps and fixing clips. Upon request, the profiles are supplied with LED strips chosen from White / Dynamic White / RGB / RGB+W and light control modules managed by the following systems

TYPE LED	RF REMOTE CONTROL / PANEL	DMX	DALI	ALEXA/GOOGLE HOME/TUYA	PUSH	1-10V / 0-10V
WHITE LED	✓	✓	✓	✓	✓	✓
DYNAMIC WHITE LED	✓	✓	✓	✓	✓	✓
RGB LED	✓	✓	✓	✓	✓	✓
RGB+W LED	✓	✓	✓	✓	✓	✓

Rectangular flat profile “micro”

PRE-R09/01



CE III F   KG/M 0,5


Profile in silver-grey anodized and white painted aluminum, cut to measure on your needs. Excellent profile for visible installations, or for lighting environments with housing in perimeter veils, it stands out for its height of only 5mm. The slim design of the profile makes it particularly suitable for under-cabinet installations in your kitchens, but it integrates perfectly into any type of furniture. Cover in opal polycarbonate. Supplied complete for installation with white light LED strips and with the appropriate power supplies according to the power and type of LEDs inserted.

white

silver

Available finishes

Dimensions



The profiles are supplied cut to size, maximum length 3m, ready for installation, with standard on-off or dimmable power supplies for white light. The profiles can be supplied with control via RF remote control, wall touch panel, dmx, dali, with the Google Assistance, Alexa and Tuya apps for smartphone control.



COBB FIBRE OTTICHE SRL

Via Nelson Mandela, 20 | 24048 Treviolo (BG) | Italy Tel. +39 035 0448601 - Fax +39 035 0448585
info@fibre-ottiche.com - www.fibre-ottiche.it

Accessories



opal cove
CV-R09/01-OP




cap with hole
TP-R09/01-T1



closed cap
TP-R09/01-T2



clip
CL-R09/01



The profiles are supplied cut to size, maximum length 3m, complete with diffuser + caps and fixing clips. Upon request, the profiles are supplied with white light LED strips and light control modules managed by the following systems

TYPE LED	RF REMOTE CONTROL / PANEL	DMX	DALI	ALEXA/GOOGLE HOME/TUYA	PUSH	1-10V / 0-10V
WHITE LED	☒	☒	☒	☒	☒	☒
DYNAMIC WHITE LED	☐	☐	☐	☐	☐	☐
RGB LED	☐	☐	☐	☐	☐	☐
RGB+W LED	☐	☐	☐	☐	☐	☐

Rectangular flat profile model

PRE-R15/01



alexa

tuya

Google Assistant

A

A+

A++

CE III F   KG/M 0,5

Profile in silver-grey, black, gold and white painted anodized aluminum, cut to measure on your needs. Excellent profile for visible installations, or for room lighting with housing in perimeter veils, it stands out for its height of only 6mm. Cover in opal polycarbonate. Supplied for installation complete with closing caps, opal cover and clip. With the profile we can also supply led strips with white light or RGB+W, with the appropriate power supplies depending on the power and type of led inserted.

silver

black


white

gold




Finishes available

Dimensions



The profiles are supplied cut to size, maximum length 3m, ready for installation, with standard on-off or dimmable power supplies for white light. The RGB+W strips can be supplied with control via RF remote control, wall touch panel, dmx, dali, and with the Google Assistance, Alexa and Tuya apps for smartphone control.



Accessories



opal cover
CV-R15/01-OP




cap with hole
TP-R15/01-T1



closed cap
TP-R15/01-T2



clip
CL-R15/01



The profiles are supplied cut to measure, maximum length 3m, complete with diffuser + caps and fixing clips. Upon request, the profiles are supplied with LED strips chosen from White / Dynamic White / RGB / RGB+W and light control modules managed by the following systems

TYPE LED	RF REMOTE CONTROL / PANEL	DMX	DALI	ALEXA/GOOGLE HOME/TUYA	PUSH	1-10V / 0-10V
WHITE LED					✓	✓
DYNAMIC WHITE LED	✓	✓	✓	✓		
RGB LED						
RGB+W LED						

Rectangular flat profile model

PRE-R15/01



alexa

tuya

Google Assistant

A A+ A++

CE III F   KG/M 0,5

Profile in silver-grey, black, gold and white painted anodized aluminum, cut to measure on your needs. Excellent profile for visible installations, or for room lighting with housing in perimeter veils, it stands out for its height of only 6mm. Cover in opal polycarbonate. Supplied for installation complete with closing caps, opal cover and clip. With the profile we can also supply led strips with white light or RGB+W, with the appropriate power supplies depending on the power and type of led inserted.

silver

black


white

gold




Finishes available

Dimensions



The profiles are supplied cut to size, maximum length 3m, ready for installation, with standard on-off or dimmable power supplies for white light. The RGB+W strips can be supplied with control via RF remote control, wall touch panel, dmx, dali, and with the Google Assistance, Alexa and Tuya apps for smartphone control.




Accessories



opal cover
CV-R15/01-OP




cap with hole
TP-R15/01-T1



closed cap
TP-R15/01-T2



clip
CL-R15/01




The profiles are supplied cut to measure, maximum length 3m, complete with diffuser + caps and fixing clips. Upon request, the profiles are supplied with LED strips chosen from White / Dynamic White / RGB / RGB+W and light control modules managed by the following systems

TYPE LED	RF REMOTE CONTROL / PANEL	DMX	DALI	ALEXA/GOOGLE HOME/TUYA	PUSH	1-10V / 0-10V
WHITE LED					✓	✓
DYNAMIC WHITE LED	✓	✓	✓	✓		
RGB LED						
RGB+W LED						

Big profile fot total recessing “large”

PRE-RS37/01



alexa

tuya

Google Assistant



A

A+

A++



Profile in silver-grey, black, gold and white painted anodized aluminum, cut to size according to your needs. It is a recessed profile designed to be installed completely hidden inside plasterboard false ceilings or visible on the ceiling or Suspension. Compared to common flat LED profiles, this product has a wider coverage which guarantees a wider and more uniform diffusion of the light beam but given the width of the LED strip housing, it is possible to install two LED strips side by side; in addition, being a profile suitable for recessing in plasterboard, the final effect will be of great impact: a homogeneous and continuous beam of light. Cover in opal or transparent polycarbonate. Supplied for installation complete with closing caps, opal cover and plate. With the profile we can also supply LED strips with white light or RGB+W, with the appropriate power supplies depending on the power and type of LEDs inserted.

COBB FIBRE OTTICHE SRL

Via Nelson Mandela, 20 | 24048 Treviolo (BG) | Italy Tel. +39 035 0448601 - Fax +39 035 0448585
info@fibre-ottiche.com - www.fibre-ottiche.it

black


silver

gold


white

Finishes available


Dimensions



Ceiling installation




Suspension installation



Total recessing installation



The profiles are supplied cut to size, maximum length 3m, ready for installation, with standard on-off or dimmable power supplies for white light. The RGB+W strips can be supplied with control via RF remote control, wall touch panel, dmx, dali, and with the Google Assistance, Alexa and Tuya apps for smartphone control.



The profiles are supplied cut to measure, maximum length 3m, complete with diffuser + caps and fixing clips. Upon request, the profiles are supplied with LED strips chosen from White / Dynamic White / RGB / RGB+W and light control modules managed by the following systems

TYPE LED	RF REMOTE CONTROL / PANEL	DMX	DALI	ALEXA/GOOGLE HOME/TUYA	PUSH	1-10V / 0-10V
WHITE LED					✓	✓
DYNAMIC WHITE LED	✓	✓	✓	✓		
RGB LED						
RGB+W LED						


Accessories




opal cover
CV-RS37/01-OP



closed cap
TP-RS37/01-T1




clip
CL-RS37/01



fixing plate
CL-RS37/02



hanging kit
CL-RS37/03



The profiles are supplied cut to measure, maximum length 3m, complete with diffuser + caps and fixing clips. Upon request, the profiles are supplied with LED strips chosen from White / Dynamic White / RGB / RGB+W and light control modules managed by the following systems



TYPE LED	RF REMOTE CONTROL / PANEL	DMX	DALI	ALEXA/GOOGLE HOME/TUYA	PUSH	1-10V / 0-10V
WHITE LED					✓	✓
DYNAMIC WHITE LED	✓	✓	✓	✓		
RGB LED						
RGB+W LED						

Rectangular ceiling profile

PRE-R26/01

alexa **tuya**


Google Assistant



KG/M 0,5

Profile in silver-grey, black, gold and white painted anodized aluminum, cut to measure on your needs. Excellent profile for visible installations, or for room lighting with housing in perimeter veils. Cover in opal polycarbonate. Supplied for installation complete with closing caps, opal cover and clip. With the profile we can also supply LED strips with white light or RGB+W, with the appropriate power supplies depending on the power and type of LEDs inserted

Dimensions



black

silver

gold

white

Finishes available

The profiles are supplied cut to size, maximum length 3m, ready for installation, with standard on-off or dimmable power supplies for white light. The RGB+W strips can be supplied with control via RF remote control, wall touch panel, dmx, dali, and with the Google Assistance, Alexa and Tuya apps for smartphone control.



Accessories



opal cover
CV-R26/01-OP




cap with hole
CV-R26/01-TR



closed cap
TP-R26/01-T2



clip
CL-RS26/01



The profiles are supplied cut to measure, maximum length 3m, complete with diffuser + caps and fixing clips. Upon request, the profiles are supplied with LED strips chosen from White / Dynamic White / RGB / RGB+W and light control modules managed by the following systems

TYPE LED	RF REMOTE CONTROL / PANEL	DMX	DALI	ALEXA/GOOGLE HOME/TUYA	PUSH	1-10V / 0-10V
WHITE LED					✓	✓
DYNAMIC WHITE LED	✓	✓	✓	✓		
RGB LED						
RGB+W LED						

Profile for total recessing

PRE-RS16/01




Silver-grey anodized aluminum profile cut to measure on your needs for customers who do not want visible support fins. It was possible to remove the fins thanks to a particular and innovative hooking system, which, using a spring clip and a plate, firmly fixes the profile to the plasterboard false ceiling and prevents the creation of unevenness between the profile and the slab in which it's located. By installing this product, which has a height equal to the standard height of normal plasterboard slabs, a discreet effect will be obtained, with the profile perfectly integrated into the false ceiling without external elements. Cover in opal polycarbonate. Supplied for installation complete with closing caps, opal cover and plate with springs. With the profile we can also supply LED strips with white light or RGB+W, with the appropriate power supplies depending on the power and type of LEDs inserted.




Finishes available

Dimensions



The profiles are supplied cut to size, maximum length 3m, ready for installation, with standard on-off or dimmable power supplies for white light. The RGB+W strips can be supplied with control via RF remote control, wall touch panel, dmx, dali, and with the Google Assistance, Alexa and Tuya apps for smartphone control



Accessories



opal cover
CV-RS16/01-OP




cap with hole
TP-RS16/01-T1



closed cap
TP-R16/01-T2



plate with springs
CL-RS16/01



Installation

The profiles are supplied cut to measure, maximum length 3m, complete with diffuser + caps and fixing clips. Upon request, the profiles are supplied with LED strips chosen from White / Dynamic White / RGB / RGB+W and light control modules managed by the following systems

TYPE LED	RF REMOTE CONTROL / PANEL	DMX	DALI	ALEXA/GOOGLE HOME/TUYA	PUSH	1-10V / 0-10V
WHITE LED	✓	✓	✓	✓	✓	✓
DYNAMIC WHITE LED	✓	✓	✓	✓		
RGB LED						
RGB+W LED						

Angular flat profile

PRE-A12/01




A A+ A++

CE III F   KG/M 0,5

Profile in silver-grey, black, gold and white painted anodized aluminum, cut to measure on your needs. Excellent profile for visible installations, or for room lighting with the housing in perimeter veils, to direct the light towards the upwards or towards the interior of the room obtaining an excellent light reflection without any loss, thanks to the 45° inclination of the light. Cover in opal polycarbonate. Supplied for installation complete with closing caps, opal cover and clip. With the profile we can also supply LED strips with white light or RGB+W, with the appropriate power supplies depending on the power and type of LEDs inserted.

Dimensions



black

white

silver

gold

Finishes available

The profiles are supplied cut to size, maximum length 3m, ready for installation, with standard on-off or dimmable power supplies for white light. The RGB+W strips can be supplied with control via RF remote control, wall touch panel, dmx, dali, and with the Google Assistance, Alexa and Tuya apps for smartphone control.



accessories



opal cover
CV-A12/01-OP




cap with hole
TP-A12/01-T1



closed cap
TP-A12/01-T2



clip
CL-A12/01



The profiles are supplied cut to measure, maximum length 3m, complete with diffuser + caps and fixing clips. Upon request, the profiles are supplied with LED strips chosen from White / Dynamic White / RGB / RGB+W and light control modules managed by the following systems

TYPE LED	RF REMOTE CONTROL / PANEL	DMX	DALI	ALEXA/GOOGLE HOME/TUYA	PUSH	1-10V / 0-10V
WHITE LED					✓	✓
DYNAMIC WHITE LED	✓	✓	✓	✓		
RGB LED						
RGB+W LED						


Angular round profile

PRE-A14/01



alexa **tuya**

Google Assistant



A A+ A++

CE III F   KG/M 0,5

Profile in silver-grey, black, gold and white painted anodized aluminum, cut to measure on your needs. Excellent profile for visible installations, or for lighting environments with housing in perimeter veils, to direct the light upwards or towards the interior of the room, obtaining excellent light reflection without any loss, thanks to the 45° inclination of the light. Cover in opal polycarbonate. Supplied for installation complete with closing caps, opal cover and clip. With the profile we can also supply LED strips with white light or RGB+W, with the appropriate power supplies depending on the power and type of LEDs inserted.

Dimensions

silver


black

gold


white



Finishes available



The profiles are supplied cut to size, maximum length 3m, ready for installation, with standard on-off or dimmable power supplies for white light. The RGB+W strips can be supplied with control via RF remote control, wall touch panel, dmx, dali, and with the Google Assistance, Alexa and Tuya apps for smartphone control



accessories



opal cover
CV-A14/01-OP




cap with hole
TP-A14/01-T1



closed cap
TP-A14/01-T2



clip
CL-A14/01



The profiles are supplied cut to measure, maximum length 3m, complete with diffuser + caps and fixing clips. Upon request, the profiles are supplied with LED strips chosen from White / Dynamic White / RGB / RGB+W and light control modules managed by the following systems

TYPE LED	RF REMOTE CONTROL / PANEL	DMX	DALI	ALEXA/GOOGLE HOME/TUYA	PUSH	1-10V / 0-10V
WHITE LED					✓	✓
DYNAMIC WHITE LED	✓	✓	✓	✓		
RGB LED						
RGB+W LED						

LIGHTING WITH LED PROFILES



COBB FIBRE OTTICHE SRL
Via Nelson Mandela, 20 - Treviolo (BG) - Italy
+39 035 0448601 - info@fibre-ottiche.com

www.fibre-ottiche.it | www.configuratore.fibre-ottiche.it